

GSC

Speed Controller 눈금표시 스피드 컨트롤러



특징(Features)

- 튜브 외경 $\varnothing 4 \sim \varnothing 12$
- 나사산 M5 $\sim 1/2$
- 엘보, 인라인 타입

GSC

-

①

②

③

④

⑤

⑥

⑦

01	바디 사이즈
1	M5, 1/8, 1/4
2	1/8, 1/4, 3/8
3	1/8, 1/4, 3/8, 1/2

02	타입
0	인라인
2	엘보

03	제병방식
0	미터-아웃
1	미터-인





04	눈금창 방향
무기호	0°
1	180°
2	90°
3	270°




05	나사산 타입
E	Rc (실런트 포함)
F	NPT
P	G


06	나사산 사이즈
무기호	인라인
M5	M5 x 0.8
01	1/8
02	1/4
03	3/8
04	1/2

07	피팅 사이즈
04	4mm
06	6mm
08	8mm
10	10mm
12	12mm

■ 눈금창 방향 참조






무기호		0°
1		180°
2		90°
3		270°

모델명_Rc 나사산	모델명_G나사산	나사산	튜브외경	표시기 크기 & 방향
-	GSC1201-M5-04	M5	4	
-	GSC1201-M5-06		6	
GSC1201-E01-04	GSC1201-P01-04	1/8	4	
GSC1201-E01-06	GSC1201-P01-06		6	
GSC1201-E02-04	GSC1201-P02-04	1/4	4	
GSC1201-E02-06	GSC1201-P02-06		6	
GSC2201-E01-06	GSC2201-P01-06	1/8	6	
GSC2201-E01-08	GSC2201-P01-08		8	
GSC2201-E02-06	GSC2201-P02-06	1/4	6	
GSC2201-E02-08	GSC2201-P02-08		8	
GSC2201-E03-06	GSC2201-P03-06	3/8	6	
GSC2201-E03-08	GSC2201-P03-08		8	
GSC3201-E01-08	GSC3201-P01-08	1/8	8	
GSC3201-E01-10	GSC3201-P01-10		10	
GSC3201-E01-12	GSC3201-P01-12		12	
GSC3201-E02-08	GSC3201-P02-08	1/4	8	
GSC3201-E02-10	GSC3201-P02-10		10	
GSC3201-E02-12	GSC3201-P02-12		12	
GSC3201-E03-08	GSC3201-P03-08	3/8	8	
GSC3201-E03-10	GSC3201-P03-10		10	
GSC3201-E03-12	GSC3201-P03-12		12	
GSC3201-E04-08	GSC3201-P04-08	1/2	8	
GSC3201-E04-10	GSC3201-P04-10		10	
GSC3201-E04-12	GSC3201-P04-12		12	


모델명 인-라인	표시기 크기	나사산	튜브외경	표시기 방향
GSC1001-04	소형	4	4	
GSC1001-06		6	6	
GSC2001-04	중형	4	4	
GSC2001-06		6	6	
GSC3001-06	대형	6	6	
GSC3001-08		8	8	
GSC3001-10		10	10	
GSC3001-12		12	12	

일반 기술 자료	
최대 사용 압력	1.0 MPa
최소 사용 압력	0.1 MPa
테스트 압력	1.5 MPa
사용매체	압축공기
유체 온도	5 ~ +60°C

■ 유량조절밸브 / 유량특성




GSC (Rc 나사산)




주문 코드	나사산	튜브외경	A	B	C	D	E	F	G	H	K	L	M	N
GSC12□□-01-04	1/8	4	39	35.2	23.3	13	13.6	9.4	16.9	8.2	17.2	13.3	15.1	9.6
GSC12□□-01-06		6			24.7					104	18.6			
GSC12□□-02-04	1/4	4	43.2	37.3	25.5	17			21.1	8.2	17.2			
GSC12□□-02-06		6			26.9					104	18.6			
GSC22□□-01-06	1/8	6	43.9	40.8	26.2	13	20	12	19.1	10.4	19.1	13.3	21.5	15
GSC22□□-01-08		8			29.5					13.2	22.4	14.2		
GSC22□□-02-06	1/4	6	47.3	42.5	28.4	17			22.4	10.4	19.1	13.3		
GSC22□□-02-08		8			31.7					13.2	22.4	14.2		
GSC22□□-03-06	3/8	6	48.9	43.9	29.5	19			24	10.4	19.1	13.3		
GSC22□□-03-08		8			32.8					13.2	22.4	14.2		
GSC32□□-01-08	1/8	8	57.1	53.3	32.7	17	21.5	13	30	13.2	23.4	13.3	24	16.2
GSC32□□-01-10		10			33.2					15.9	23.9	14.2		
GSC32□□-01-12		12			38.4					18.5	29.1	17		
GSC32□□-02-08	1/4	8	49.7	44.2	32.7	17			22.8	13.2	23.4	13.3		
GSC32□□-02-10		10			33.2					15.9	23.9	14.2		
GSC32□□-02-12		12			38.4					18.5	29.1	17		
GSC32□□-03-08	3/8	8	51.1	45.4	33.7	19			24	13.2	23.4	13.3		
GSC32□□-03-10		10			34.2					15.9	23.9	14.2		
GSC32□□-03-12		12			39.4					18.5	29.1	17		
GSC32□□-04-08	1/2	8	57.3	50	37.5	24			30.2	13.2	23.4	13.3		
GSC32□□-04-10		10			38					15.9	23.9	14.2		
GSC32□□-04-12		12			43.2					18.5	29.1	17		

GSC (G 나사산)



주문 코드	나사산	튜브외경	A	B	C	D	E	F	G	H	K	L	M	N
GSC12□□-M5-04	M5	4	30	35	21.7	10	13.6	9.4	16.9	8.2	17.2	13.3	15.1	9.6
GSC12□□-M5-06		6			23.1					10.4	18.6			
GSC12□□-G01-04	1/8	4	39	34	23.3	13				8.2	17.2			
GSC12□□-G01-06		6			24.7					10.4	18.6			
GSC12□□-G02-04	1/4	4	43.2	36.7	25.5	17			21.1	8.2	17.2			
GSC12□□-G02-06		6			26.9					10.4	18.6			
GSC22□□-G01-06	1/8	6	43.9	38.9	26.2	13	20	12	19.1	10.4	19.1	13.3	21.5	15
GSC22□□-G01-08		8			29.5					13.2	22.4	14.2		
GSC22□□-G02-06	1/4	6	47.3	39.4	28.4	17			22.4	10.4	19.1	13.3		
GSC22□□-G02-08		8			31.7					13.2	22.4	14.2		
GSC22□□-G03-06	3/8	6	48.9	41.4	29.5	19			24	10.4	19.1	13.3		
GSC22□□-G03-08		8			32.8					13.2	22.4	14.2		
GSC32□□-G01-08	1/8	8	57.1	52.1	32.7	17	21.5	13	30	13.2	23.4	13.3	24	16.2
GSC32□□-G01-10		10			33.2					15.9	23.9	14.2		
GSC32□□-G01-12		12			38.4					18.5	29.1	17		
GSC32□□-G02-08	1/4	8	49.7	43.2	32.7	17			22.8	13.2	23.4	13.3		
GSC32□□-G02-10		10			33.2					15.9	23.9	14.2		
GSC32□□-G02-12		12			38.4					18.5	29.1	17		
GSC32□□-G03-08	3/8	8	51.1	43.6	33.7	19			24	13.2	23.4	13.3		
GSC32□□-G03-10		10			34.2					15.9	23.9	14.2		
GSC32□□-G03-12		12			39.4					18.5	29.1	17		
GSC32□□-G04-08	1/2	8	57.3	47.3	37.5	24			30.2	13.2	23.4	13.3		
GSC32□□-G04-10		10			38					15.9	23.9	14.2		
GSC32□□-G04-12		12			43.2					18.5	29.1	17		

GSC (인-라인)



주문 코드	튜브외경	A	C	D	E	F	G	H	O	M1	M2	N	-	-
GSC10□□-04	4	36.4	37.6	10.1	13.6	9.4	11.8	9.3	15.1	15.4	13.6	9.6	-	-
GSC10□□-06	6	37.4	40.1	12.3			12.8	11.6						
GSC20□□-04	4	44.5	41.3	12.3	20	12	13.4	9.3	21.5	17	13.5	15	-	-
GSC20□□-06	6		43.1					11.6						
GSC30□□-06	6	55.7	60	20.5	24.5	16.6	21.7	13.2	28.5	25	17	19.2	-	-
GSC30□□-08	8		65					15.2			19			
GSC30□□-10	10		70.4					16.5			21			
GSC30□□-12	12		76					22.8			22			