

# PSL


Speed Controller **스피드 컨트롤러**



## 특징(Features)


- 튜브 외경  $\varnothing 4 \sim \varnothing 12$
- 나사산 M5 ~ 1/2
- 재질 PBT, 황동(니켈도금)

## PSL (Rc 나사산)



| Model    | Ød 외경 | R 나사산 | A    | C    | H  | L min | L max | L1   | ØX |
|----------|-------|-------|------|------|----|-------|-------|------|----|
| PSL4-M5  | 4     | M5    | 3.5  | 14.9 | 8  | 29    | 31.9  | 20   | 10 |
| PSL4-01  | 4     | R1/8  | 8.3  | 14.9 | 10 | 37.8  | 44.6  | 22.3 | 10 |
| PSL4-02  | 4     | R1/4  | 11.4 | 14.9 | 14 | 43.7  | 51.3  | 24   | 10 |
| PSL6-M5  | 6     | M5    | 3.5  | 15.4 | 8  | 29    | 31.9  | 21.7 | 12 |
| PSL6-01  | 6     | R1/8  | 8.3  | 15.4 | 10 | 37.8  | 44.6  | 22.9 | 12 |
| PSL6-02  | 6     | R1/4  | 11.4 | 15.4 | 14 | 43.7  | 51.3  | 24.9 | 12 |
| PSL6-03  | 6     | R3/8  | 12.7 | 15.4 | 19 | 48.6  | 55.5  | 26.6 | 12 |
| PSL6-04  | 6     | R1/2  | 15.8 | 15.4 | 24 | 52.7  | 59.5  | 29.6 | 12 |
| PSL8-01  | 8     | R1/8  | 8.3  | 17.3 | 10 | 37.8  | 44.6  | 25.3 | 14 |
| PSL8-02  | 8     | R1/4  | 11.4 | 18.3 | 14 | 43.7  | 51.3  | 28.4 | 14 |
| PSL8-03  | 8     | R3/8  | 12.7 | 18.3 | 19 | 48.6  | 55.5  | 29.3 | 14 |
| PSL8-04  | 8     | R1/2  | 15.8 | 18.3 | 24 | 52.7  | 59.5  | 32.3 | 14 |
| PSL10-02 | 10    | R1/4  | 11.4 | 20.5 | 14 | 43.7  | 51.3  | 32   | 17 |
| PSL10-03 | 10    | R3/8  | 12.7 | 20.5 | 19 | 48.6  | 55.5  | 32.5 | 17 |
| PSL10-04 | 10    | R1/2  | 15.8 | 20.5 | 24 | 52.7  | 59.5  | 35.5 | 17 |
| PSL12-02 | 12    | R1/4  | 11.4 | 21.6 | 14 | 43.7  | 51.3  | 32   | 20 |
| PSL12-03 | 12    | R3/8  | 12.7 | 21.8 | 19 | 48.6  | 55.5  | 35.3 | 20 |
| PSL12-04 | 12    | R1/2  | 15.8 | 22.3 | 24 | 52.7  | 59.5  | 36.3 | 20 |

PSL (G 나사산)



| Model     | Ød 외경 | R 나사산 | A   | C    | H  | L min | L max | L1   | ØX |
|-----------|-------|-------|-----|------|----|-------|-------|------|----|
| PSL4-M5   | 4     | M5    | 3.5 | 14.9 | 8  | 29    | 31.9  | 20   | 10 |
| PSL4-G01  | 4     | G1/8  | 6   | 14.9 | 10 | 37.5  | 44.3  | 22.3 | 10 |
| PSL4-G02  | 4     | G1/4  | 8.3 | 14.9 | 14 | 43.7  | 51.3  | 24   | 10 |
| PSL6-M5   | 6     | M5    | 3.5 | 15.4 | 8  | 29    | 31.9  | 21.7 | 12 |
| PSL6-G01  | 6     | G1/8  | 6   | 15.4 | 10 | 37.5  | 44.3  | 22.9 | 12 |
| PSL6-G02  | 6     | G1/4  | 8.3 | 15.4 | 14 | 43.7  | 51.3  | 24.9 | 12 |
| PSL6-G03  | 6     | G3/8  | 9.5 | 15.4 | 19 | 48.4  | 55.3  | 26.6 | 12 |
| PSL6-G04  | 6     | G1/2  | 13  | 15.4 | 24 | 52.7  | 59.5  | 29.6 | 12 |
| PSL8-G01  | 8     | G1/8  | 6   | 17.3 | 10 | 37.5  | 44.3  | 25.3 | 14 |
| PSL8-G02  | 8     | G1/4  | 8.3 | 18.3 | 14 | 43.7  | 51.3  | 28.4 | 14 |
| PSL8-G03  | 8     | G3/8  | 9.6 | 18.3 | 19 | 48.4  | 55.3  | 29.3 | 14 |
| PSL8-G04  | 8     | G1/2  | 13  | 18.3 | 24 | 52.7  | 59.5  | 32.3 | 14 |
| PSL10-G02 | 10    | G1/4  | 8.3 | 20.5 | 14 | 43.7  | 51.3  | 32   | 17 |
| PSL10-G03 | 10    | G3/8  | 9.5 | 20.5 | 19 | 48.4  | 55.3  | 32.5 | 17 |
| PSL10-G04 | 10    | G1/2  | 13  | 20.5 | 24 | 52.7  | 59.5  | 35.5 | 17 |
| PSL12-G02 | 12    | G1/4  | 8.3 | 21.6 | 14 | 43.7  | 51.3  | 32   | 20 |
| PSL12-G03 | 12    | G3/8  | 9.5 | 21.8 | 19 | 48.4  | 55.3  | 35.3 | 20 |
| PSL12-G04 | 12    | G1/2  | 13  | 22.3 | 24 | 52.7  | 59.5  | 36.3 | 20 |